



MICS CARDIOVASCULAR



OUR STANDARDS

Optional: Ceramic Coating (CC)



Standard Scissors colour: red



Standard Needle Holder colour: gold



Special instruments colour: black



Grasping Forceps colour: blue

CUSTOMIZED COLOURS

Upon request, our customers can select another colour of the handle,
e. g. green, titan, orange, gray ...
Please contact us!



NEW RELEASE

The Modular System.

The modular system contains an dismountable handle and the essay.

With this system the essays can be easy and fast exchanged.



The new dismountable handle. Easy and fast exchange of instrument essays!

The dismountable handle can be ordered with the following order number:

CV-100-DH with ratchet

CV-101-DH without ratchet



SCISSORS **Standard** colour red, without ratchet, standard handle, irrigation connector: axial

	Shape	Length in mm	Ø	Without Ceramic Coating	With Ceramic Coating	Modular System* Essay
	Metzenbaum-Scissor, straight, single action	170 250 300	5,00 5,00 5,00	CV11-5-17 CV11-5-25 CV11-5-30	CV11-5-17 CC CV11-5-25 CC CV11-5-30 CC	E11-5-17 E11-5-25 E11-5-30
	Metzenbaum-Scissor, straight, double action	170 250 300	5,00 5,00 5,00	CV9-5-17 CV9-5-25 CV9-5-30	CV9-5-17 CC CV9-5-25 CC CV9-5-30 CC	E9-5-17 E9-5-25 E9-5-30
	Mini Metzenbaum-Scissor, 15° curved, double action	170 250 300	3,50 3,50 3,50	CV10-35-17 CV10-35-25 CV10-35-30	CV10-35-17 CC CV10-35-25 CC CV10-35-30 CC	E10-35-17 E10-35-25 E10-35-30
	Metzenbaum-Scissor, 15° curved, double action	170 250 300	5,00 5,00 5,00	CV10-5-17 CV10-5-25 CV10-5-30	CV10-5-17 CC CV10-5-25 CC CV10-5-30 CC	E10-5-17 E10-5-25 E10-5-30
	Mini Metzenbaum-Scissor, 30° curved, double action	170 250 300	3,50 3,50 3,50	CV12-35-17 CV12-35-25 CV12-35-30	CV12-35-17 CC CV12-35-25 CC CV12-35-30 CC	E12-35-17 E12-35-25 E12-35-30
	Metzenbaum-Scissor, 30° curved, double action	170 250 300	5,00 5,00 5,00	CV12-5-17 CV12-5-25 CV12-5-30	CV12-5-17 CC CV12-5-25 CC CV12-5-30 CC	E12-5-17 E12-5-25 E12-5-30
	Metzenbaum-Scissor, 70° curved, double action	170 250 300	5,00 5,00 5,00	CV13-5-17 CV13-5-25 CV13-5-30	CV13-5-17 CC CV13-5-25 CC CV13-5-30 CC	E13-5-17 E13-5-25 E13-5-30
	Scissor Jameson, 15° curved, with tenotomy tip	170 250 300	5,00 5,00 5,00	CV14-5-17 CV14-5-25 CV14-5-30	CV14-5-17 CC CV14-5-25 CC CV14-5-30 CC	E14-5-17 E14-5-25 E14-5-30




Optional: Ceramic Coating (CC)



SCISSORS **Standard** colour red, without ratchet, standard handle, irrigation connector: axial

	Shape	Length in mm	Ø	Without Ceramic Coating	With Ceramic Coating	Modular System* Essay
	Potts-style Vascular scissor, 45° upwards, single action, short model	170 250 300	3,50 3,50 3,50	CV15-35-17S CV15-35-25S CV15-35-30S	CV15-35-17S CC CV15-35-25S CC CV15-35-30S CC	E15-35-17S E15-35-25S E15-35-30S
	Potts-style Vascular scissor, 45° upwards, single action, long model	170 250 300	3,50 3,50 3,50	CV15-35-17L CV15-35-25L CV15-35-30L	CV15-35-17L CC CV15-35-25L CC CV15-35-30L CC	E15-35-17L E15-35-25L E15-35-30L
	Potts-style Vascular scissor, 90° upwards, single action	170 250 300	3,50 3,50 3,50	CV45-35-17 CV45-35-25 CV45-35-30	CV45-35-17 CC CV45-35-25 CC CV45-35-30 CC	E45-35-17 E45-35-25 E45-35-30
	Potts-style Vascular scissor, 125° backwards, single action	170 250 300	3,50 3,50 3,50	CV16-35-17 CV16-35-25 CV16-35-30	CV16-35-17 CC CV16-35-25 CC CV16-35-30 CC	E16-35-17 E16-35-25 E16-35-30
	Potts-style Vascular scissor, 125° backwards, single action	170 250 300	5,00 5,00 5,00	CV16-5-17 CV16-5-25 CV16-5-30	CV16-5-17 CC CV16-5-25 CC CV16-5-30 CC	E16-5-17 E16-5-25 E16-5-30
	Metzenbaum-Scissor, 15° curved, double action, robust	170 250 300	7,00 7,00 7,00	CV17-7-17 CV17-7-25 CV17-7-30	CV17-7-17 CC CV17-7-25 CC CV17-7-30 CC	E17-7-17 E17-7-25 E17-7-30

* suitable for handle CV-100-DH and CV-101-DH



GRASPING FORCEPS **standard** colour blue, with or without ratchet, standard handle, irrigation connector: axial

	Shape	Length in mm	Ø	Without Ratchet	With Ratchet	Modular System* Essay
	Debaquey, AG 2 x 1 teeth, 1,5 x 10 mm, double action	170 250 300	3,5 3,5 3,5	CV25-35-17 CV25-35-25 CV25-35-30	CV25-35-17 R CV25-35-25 R CV25-35-30 R	E25-35-17 E25-35-25 E25-35-30
	Debaquey, AG 2 x 1 teeth, 2,8 x 10 mm, double action	170 250 300	3,5 3,5 3,5	CV26-35-17 CV26-35-25 CV26-35-30	CV26-35-17 R CV26-35-25 R CV26-35-30 R	E26-35-17 E26-35-25 E26-35-30
	Debaquey, AG 2 x 1 teeth, 1,5 x 10 mm, double action	170 250 300	5,0 5,0 5,0	CV25-5-17 CV25-5-25 CV25-5-30	CV25-5-17 R CV25-5-25 R CV25-5-30 R	E25-5-17 E25-5-25 E25-5-30
	Debaquey, AG 2 x 1 teeth, 2,8 x 10 mm, double action	170 250 300	5,0 5,0 5,0	CV26-5-17 CV26-5-25 CV26-5-30	CV26-5-17 R CV26-5-25 R CV26-5-30 R	E26-5-17 E26-5-25 E26-5-30
	Debaquey, AG 2 x 1 teeth, 15° angled sidewards, 2,8 x 10 mm, double action	170 250 300	5,0 5,0 5,0	CV45-5-17 CV45-5-25 CV45-5-30	CV45-5-17 R CV45-5-25 R CV45-5-30 R	E45-5-17 E45-5-25 E45-5-30
	Debaquey, AG 2 x 1 teeth, straight, 1,5 x 14 mm, single action	170 250 300	5,0 5,0 5,0	CV43-5-17 CV43-5-25 CV43-5-30	CV43-5-17 R CV43-5-25 R CV43-5-30 R	E43-5-17 E43-5-25 E43-5-30
	Debaquey, AG 2 x 1 teeth, 45° angled upwards, 1,5 x 14 mm, single action	170 250 300	5,0 5,0 5,0	CV27-5-17 CV27-5-25 CV27-5-30	CV27-5-17 R CV27-5-25 R CV27-5-30 R	E27-5-17 E27-5-25 E27-5-30
	Debaquey, AG 2 x 1 teeth, 45° angled sidewards, 1,5 x 14 mm, single action	170 250 300	5,0 5,0 5,0	CV28-5-17 CV28-5-25 CV28-5-30	CV28-5-17 R CV28-5-25 R CV28-5-30 R	E28-5-17 E28-5-25 E28-5-30
	Debaquey, AG 2 x 1 teeth, 45° angled sidewards, 2,8 x 10 mm, double action	170 250 300	3,5 3,5 3,5	CV41-35-17 CV41-35-25 CV41-35-30	CV41-35-17 R CV41-35-25 R CV41-35-30 R	E41-35-17 E41-35-25 E41-35-30



GRASPING FORCEPS **Standard** colour blue, with or without ratchet, standard handle, irrigation connector: axial

	Shape	Length in mm	Ø	Without Ratchet	With Ratchet	Modular System* Essay
	DeBakey, AG 3 x 2 teeth, 4,8 x 16 mm double action	170 250 300	5,0 5,0 5,0	CV29-5-17 CV29-5-25 CV29-5-30	CV29-5-17 R CV29-5-25 R CV29-5-30 R	E29-5-17 E29-5-25 E29-5-30
	DeBakey, AG 3 x 2 teeth, 4,8 x 28 mm long model, double action	170 250 300	5,0 5,0 5,0	CV47-5-17 CV47-5-25 CV47-5-30	CV47-5-17 R CV47-5-25 R CV47-5-30 R	E47-5-17 E47-5-25 E47-5-30
	Knot pusher 45° upwards, single action	170 250 300	5,0 5,0 5,0	CV31-5-17 CV31-5-25 CV31-5-30	CV31-5-17 R CV31-5-25 R CV31-5-30 R	E31-5-17 E31-5-25 E31-5-30
	Resano-Valve grasping forceps, single action	170 250 300	5,0 5,0 5,0	CV35-5-17 CV35-5-25 CV35-5-30	CV35-5-17 R CV35-5-25 R CV35-5-30 R	E35-5-17 E35-5-25 E35-5-30
	Resano-Valve grasping forceps, double action	170 250 300	5,0 5,0 5,0	CV48-5-17 CV48-5-25 CV48-5-30	CV48-5-17 R CV48-5-25 R CV48-5-30 R	E48-5-17 E48-5-25 E48-5-30
	Suture Naht, jaw conical 8 mm, double action	170 250 300	5,0 5,0 5,0	CV44-5-17 CV44-5-25 CV44-5-30	CV44-5-17 R CV44-5-25 R CV44-5-30 R	E44-5-17 E44-5-25 E44-5-30
	Grasping forceps mouse tooth 2 x 1, fine-teeth, 15 mm, 45° curved upwards	170 250 300	5,0 5,0 5,0	CV49-5-17 CV49-5-25 CV49-5-30	CV49-5-17 R CV49-5-25 R CV49-5-30 R	E49-5-17 E49-5-25 E49-5-30
	Grasping forceps extra wide jaw with Alligator teeth fenestrated	170 250 300	3,5 3,5 3,5	CV50-35-17 CV50-35-25 CV50-35-30	CV50-35-17 R CV50-35-25 R CV50-35-30 R	E50-35-17 E50-35-25 E50-35-30

* suitable for handle CV-100-DH and CV-101-DH



Optional: Tungsten Carbide (TC) Diamond Dust (DD)



NEEDLE HOLDER **Standard** colour gold-orange, with ratchet, standard handle, irrigation connector: axial

	REF	O	Length in mm	Ø	Shape
	CV18-35-25	TC	250	3,50	Mini Needle holder with TC, straight, 2 x 6 mm, ratchet
	CV19-35-25	TC	250	3,50	Mini Needle holder with TC, curved left, 2 x 6 mm, ratchet
	CV18-5-25	TC	250	5,00	Needle holder with TC, straight, 3 x 10 mm, ratchet
	CV19-5-25	TC	250	5,00	Needle holder with TC, curved left, 3 x 10 mm, ratchet
	CV20-5-25	TC	250	5,00	Needle holder with TC, curved right, 3 x 10 mm, ratchet
	CV32-5-25	TC	250	5,00	Ryder Needle holder with TC, straight, 1 x 8 mm, ratchet
	CV22-5-25	TC	250	5,00	Ryder Needle holder with TC, straight, 1 x 10 mm, ratchet
	CV23-5-25	TC	250	5,00	Needle holder with TC, straight, 2 x 8 mm, ratchet
	CV34-5-25	DD	250	5,00	Needle holder with diamond dust, straight, 3 x 10 mm, ratchet
	CV36-5-25	DD	250	5,00	Needle holder with diamond dust, left curved, 3 x 10 mm, ratchet
	CV42-5-25	TC	250	5,00	Crile Wood, Needle holder with TC, curved left




Tungsten Carbide (TC)



SPECIAL INSTRUMENTS

	REF	TIP	Length in mm	Ø	Shape
	CV37-5-25	TC	250	5,00	Combination Instrument: Grasping forceps, jaw distal DeBakey 2 x 1 teeth - proximal TC inlet
	CV38-5-25	TC	250	5,00	Combination Instrument: Needle holder straight, Jaw distal TC-inlet - proximal Hook scissor
	CV39-5-25	TC	250	5,00	Combination Instrument: Needle holder right, Jaw distal TC-inlet – proximal Hook scissor
	CV40-5-25	TC	250	5,00	Combination Instrument: Needle holder left, Jaw distal TC-inlet – proximal Hook scissor
	CV24-5-25		250	5,00	Gemini dissection forceps, curved, smooth, double action
	CV9-5-25		250	5,00	Leaflet holder, fine serrated, double action
	CV30-4-25		250	4,00	Valve Rongeur, oval jaw 4 mm, straight, single action
	CV301-4-25		250	4,00	Valve Rongeur, oval jaw 4 mm, 45° angled upwards
	CV33-5-25		250	6,00	Clip forceps for use with Clips Ethicon medium



CHITWOOD-AORTIC CLAMP

REF	Length in mm	Jaw length	Shape
CV-AK-1	360	90	DeBakey 2 x 3 teeth
CV-AK-2	360	120	DeBakey 2 x 3 teeth
CV-AK-3	290	60	DeBakey 1 x 2 teeth



VALVE RONGEUR with rotatable, demountable handle and cleaning port

	REF	Length in mm	Ø	Shape
	CV301-4-25M	250	4,00	Valve Rongeur, oval jaw 4 mm, 45° angled upwards
	CV30-4-25M	250	4,00	Valve Rongeur, oval jaw 4 mm, straight, single action



NERV- AND VESSEL HOOKS

	REF	Length in mm	Shape
	CV105	300	Nerv- and Vessel Hook, angled 90°, length 6 mm
	CV104	300	Nerv- and Vessel Hook, angled 90°, length, 6 mm, ball point
	CV106	300	Nerv- and Vessel Hook, angled 90°, length 10 mm



KNOT PUSHER

	REF	Length in mm	Ø	Shape
	CV 65-25	250	5 mm	Straight




MAGNET RETRIEVER

	REF	Length in mm	Shaft Ø	Shape
	CV 71-25	250	4 mm	Straight



SUTURE CATCHER

	REF	Length in mm	Ø	Shape
	CV70-30	230 mm	2,00	Straight



MITRAL ATRIAL BLADE

	REF	Length in mm	Shape
	CV-AHS		Atrial holding System without blade
	CV-AH-F1	35 x 30 mm	Atrial Blade Figure 1
	CV-AH-F2	40 x 35 mm	Atrial Blade Figure 2
	CV-AH-F3	50 x 35 mm	Atrial Blade Figure 3
	CV-AH-F4	50 x 45 mm	Atrial Blade Figure 4
	CV-AH-F5	60 x 45 mm	Atrial Blade Figure 5
	CV-AH-F6	70 x 45 mm	Atrial Blade Figure 6
	CV-AH-BH	200 mm	Blade holder
	CV-AH-FC		Fix clamp



DISSECTION INSTRUMENT Clamp

	REF	Length in mm	Ø	Shape
	CV57-5-25	25 mm	5,00	Spreading instrument , jaw fine serrated



MEASURING INSTRUMENT

	REF	Length in mm	Ø	Shape
	CV35-28	280 mm	3,50	Measuring Instrument, sizes, 0–60 mm

CLIP APPLICATOR

	REF	Length in mm	Ø	Shape
	CV80-5-30	300	5	Clip applicator with Hemo Lock





INFORMATIONS ABOUT THE COMPANY

ENDO-PASSION is your competent partner for innovative products in the field of flexible endoscopy. The force of innovation is drawn from years of experience in production of endoscopic instruments.

In our headquarters in Germany, we produce instruments using advanced production processes. We use only materials, manufacturing and testing processes, which can withstand the highest quality requirements.

Our experienced staff develop and manufacture with the highest precision innovative and user-friendly solutions for endoscopy.



Endo-Passion GmbH

Faulenbachstr. 15
D- 78573 Wurmlingen
Germany

Tel: 0049(0)7461-1617771

Fax: 0049(0)7461-1617772

info@endo-passion.de

www.endo-passion.de